


## Software

### Microphone Control Software (MicControl CS)



BRÄHLER ICS is committed to continually improving its products and so reserves the right to make technical modifications without notice. WPFSA.1301.CS.E.081212

#### Description

MicControl is a highly flexible and sophisticated control software for BRÄHLER microphone and conference systems. Within minutes a geographical layout is created according to your room layout. Using the client-server function of MicControl CS the system can be controlled and overviewed from various positions within your conference premises simultaneously.

Use the MicControl software to comfortably manage over thousand delegate units within one system, attach names for each delegate and provide yourself the best possible overview of your microphone status and arrangement.

For larger arrangements and/or clear overview, MicControl supports up to four monitors (or LCD's) within one system.

Operation can be done via mouse, keyboard and/or touch screen.

#### Features

- different microphone operating modes
  - 3 automatic modes
  - manual mode
  - request to speak
  - chairman priority
  - VIP function
- delegate name handling
- active speaker and request lists
- speaking time management
- adjustable number of microphones active at the same time

- free configurable screen layout
- expandable over multiple monitors for larger installations
- network function for multiuser operation
- easy access to all functions via mouse, keyboard or touch screen

#### Main features

- color- and powerful virtual geographic microphone switchboards within minutes
- intuitive operation
- network capable for multi-user operation
- runs under Windows OS incl. Vista\*
- various customized visualizations
- available in multiple languages
- different button sizes emphasizing the delegate's status in the conference

The Client/Server Version contains in relation to the single-user version the following add-ons:

**Request Client** module to display/control the request/speaker list on Client-PCs (e.g. chairman).

**Speaker Client** module for visualization of speaker name and speaking time on external displays e.g. Plasma screens.

**Mic-Event Logger** module to provide a log file with speaker names and speaking times.

#### System requirements

Windows98SE/ME/2000/XP/Vista\*  
 Pentium III or higher  
 1 RS232 port for each DPS20X/M95  
 or 1 RS485 port for up to 5 DPS20X  
 Network connection (TCP/IP)

#### Supported central control units:

ACen, DPS200, DPS201, DPS202, M95/44

#### Optional

**CamControl** module for automatic camera systems (\$4.1301.CC)

**MicControl** Software single user version (\$4.1301)